MOBILE DUST COLLECTOR · DELFIN

Delfin ZFR EV AP 560 K2

Dust collector for areas without an ATEX zone.

A mobile dust collector with a Ø200 inlet and a 2.2 kW motor. Star filter in antistatic polyester and manual filter cleaning.

€5,888

List price excl. VAT, for business customers. Freight and installation not included.



TECHNICAL DATA

Model	ZFR EV AP 560 K2
PERFORMANCE	
Inlet and max. air flow	**Ø200 mm – 2,500 m³/h**
Max. negative pressure	**210 mmH2O**
Power	**2.2 kW IE3, three-phase**
Voltage, frequency	**400 V, 50 Hz**
Current	**4.5 A**
FILTRATION	
Primary filter	**Star filter, polyester ANT M, 50,000 cm², Ø560**
HEPA filter	**H14 option**
Filter cleaning	**Manual filter cleaning**
MACHINE	
Container	**100 l**
Dimensions	**78 × 132 × 218 cm**
Weight	**100 kg**
Noise level	**72 dB(A)**

Model	ZFR EV AP 560 K2
Protection rating	**IP55**
Item code	**ZFREVAP560K2-001**
PRICE	
List price excl. VAT	**€5,888**

Source: Delfin price list 2026, pp. 64 and 67. No manual available for this model. Where sources differ, the declaration and the manual apply.
Price: Delfin price list 2026, p. 64.

OPTIONS, FILTERS AND ACCESSORIES

What Delfin supplies for this model. Ask us for a price.

Description	Item code
MOTOR	
Motor UL/CSA, 230/400 V, 60 Hz	**–**
Motor UL/CSA, 265/460 V, 60 Hz	**–**
Motor 230 V, 50 Hz, single-phase	**–**
FILTRATION	
H14 absolute cartridge filter	**H**
Absolute filter kit with stainless steel heightening ring	**HX**
Class M antistatic filter (included)	**ANT M**
CONSTRUCTION	
AISI 304 stainless steel collection tank	**X**
AISI 304 stainless steel tank and filter chamber	**XX**
AISI 304 stainless steel filter chamber, collection tank, cover and frame	**XXX**
Earth grounding	**MT**
CONTROL	
24 V remote control (with electrical panel if not installed)	**LOC REM**
ACCESSORIES	
Flanged reduction for flex hose, Ø200/200	**SL.2632.0200**
Flanged reduction for flex hose, Ø200/150	**SL.6882.0200**
Flanged reduction for flex hose, Ø200/120	**SL.3775.0200**
Flanged reduction for flex hose, Ø200/100	**SL.6883.0200**
Flanged two-way branch, Ø200/150/150	**SL.2775.0200**
Flanged two-way branch, Ø200/120/120	**SL.2692.0200**
Flanged two-way branch, Ø200/100/100	**SL.3022.0200**

Description	Item code
Articulated extraction arm with earth grounding, Ø100/Ø100	**TA.0943.0000**
Articulated extraction arm with earth grounding, Ø150/Ø150	**TA.0177.0000**
Articulated extraction arm with earth grounding, Ø150/Ø200	**TA.1256.0000**
Articulated extraction arm with earth grounding, Ø200/Ø200	**TA.0511.0000**
Flanged branch for articulated arms, Ø200/100/100	**ESSL.2201.0200**
Flanged branch for articulated arms, Ø200/150/150	**ESSL.4703.0200**

Source: Delfin price list 2026, p. 64, 67.

Ask us about this model
We advise on selection, sizing and zones. Call +45 70 23 12 03 or write to sales@particulair.com.

Reservations: we reserve the right to printing errors and other errors, to price changes not yet updated, and to technical data, designs and upgrades changed by the manufacturer without notice. Prices and data are indicative until confirmed in a written offer. Pictures may show optional equipment.