

ACCESSORIES

ABA worm-drive slangeklemme

ABA worm-drive hose clamp - Swedish-developed with stainless steel band, widely used



ABA is a Swedish manufacturer of worm-drive hose clamps that has gained wide adoption in industrial, automotive and marine applications. The construction is a standardised screw clamp with stainless steel band tightened via an endless screw. ABA clamps are known for their durability and precise tensioning - a significant difference compared to cheap no-name worm-drive clamps where band stiffness and screw mechanics can fail.

Technical specifications

Material	Band: stainless steel. Screw: galvanised steel
Wall construction	ABA worm-drive clamp with stainless steel band
Cut to length	No
Manufacturer SKU	6061

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 4 standard sizes from inner Ø 10.0 mm to 100.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Weight [kg/m]	Article no.
10	16	0.005	6061010016
20	32	0.008	6061020032
40	60	0.014	6061040060
80	100	0.022	6061080100

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/aba-schneckengewinde-schelle/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.