

ACCESSORIES

Bauer kobling-system

Bauer coupling system with O-sealing ring in SBR (type S 4) - for agriculture and slurry transport



Bauer coupling system is a standardised coupling concept from the Austrian Bauer company widely used in agriculture and slurry transport equipment. Our O-sealing ring is manufactured from SBR (Styrene-Butadiene Rubber) and supplied black. The SBR seal is chosen for its good resistance to organic acids (typical in slurry and silage), good aging behaviour and temperature stability in normal agricultural use. The seal is supplied as a spare part for maintenance of existing Bauer couplings. Multiple sizes cover the Bauer system's standard range.

Technical specifications

Material	Seal: SBR (Styrene-Butadiene Rubber). Colour: black
Colour	black
Wall construction	O-sealing ring for Bauer coupling type S 4
Cut to length	No
Manufacturer SKU	5714

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 4 standard sizes from inner Ø 65.0 mm to 152.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
65	0.02	5714050050
106	0.067	5714075075
136	0.113	5714100100
152	0.178	5714125125

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/bauer/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.