

## ACCESSORIES

# BOSS damp-slange-kobling

BOSS steam hose coupling for high-pressure steam - galvanised/cast steel, max 210 deg C, NPT/ANSI



BOSS steam hose coupling is a specialised coupling solution for high-pressure steam installations. The construction is hose tail with safety collar and male thread per ANSI/ASME B 1.20.1/3 (NPT tapered thread). The material is galvanised steel or cast steel depending on variant. Max temperature 210 deg C makes it suitable for strong-steam applications in industrial process, brewery cleaning and pharma sterilisation. The BOSS system is specifically developed for steam hose applications where leak-free joints are critical due to thermal expansion and high pressures.

## Technical specifications

<b>Material</b>	Galvanised steel / cast steel
<b>Wall construction</b>	BOSS steam coupling with hose tail, safety collar and NPT male thread
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	5411

### Standards and compliance

ansi-asme-b-1-20-1, REACH, RoHS

## Dimensions and ordering

The hose is supplied in 4 standard sizes from inner Ø 19.0 mm to 38.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
19	0.179	5411019000
25	0.289	5411025000
32	0.594	5411032000
38	0.867	5411038000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/boss-dampkupplung/](https://particulair.eu/flexcore/en/accessories/boss-dampkupplung/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.