

## ACCESSORIES

# CLAMP 212

Bridge clamp for externally corrugated spiral hoses, quick to fit, reusable



CLAMP 212 is a bridge clamp developed specifically for externally corrugated spiral hoses. The bridge construction ensures the clamp sits firmly on the hose's rib structure without slipping into the gaps - a critical difference compared to standard screw clamps. 28 dimensions with clamping range from 9 mm to 255 mm cover the AIRDUC PUR/PVC series' full dimension range. Typically used in pneumatic conveying installations where secure holding force and quick disassembly are critical.

## Technical specifications

<b>Wall construction</b>	Bridge clamp for corrugated hoses - construction ensures grip on rib structure
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	2120000

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 28 standard sizes from inner Ø 9.0 mm to 255.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Weight [kg/m]	Article no.
9	19	0.01	21200090000
13	20	0.01	21200130000
17	27	0.01	21200170000
20	28	0.01	21200200000
22	37	0.02	21200220000
27	47	0.02	21200270000
29	47	0.02	21200290000
35	55	0.0265	21200350000
40	60	0.03	21200400000
45	65	0.03	21200450000
55	75	0.03	21200550000
65	85	0.04	21200650000
75	95	0.04	21200750000
85	105	0.04	21200850000
95	115	0.04	21200950000
105	125	0.04	21201050000
115	135	0.05	21201150000
125	145	0.05	21201250000
135	155	0.05	21201350000
145	165	0.05	21201450000
155	175	0.05	21201550000
165	185	0.06	21201650000
175	195	0.06	21201750000
185	205	0.06	21201850000
195	215	0.06	21201950000
205	225	0.07	21202050000
215	235	0.07	21202150000
235	255	0.1	21202350000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/clamp-212/](https://particulair.eu/flexcore/en/accessories/clamp-212/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.