

ACCESSORIES

CONNECT 205

Stainless steel connector with rotatable flange for metal hoses



CONNECT 205 is a connector for connecting or attaching metal hoses. It is a cylindrical stub with a rotatable flange and a widening at one end into which the metal hose is pushed. It is made of stainless steel and is available for hoses with inner Ø from 50 to 300 mm. The manufacturer lists it for metal hoses 375, 375 HT, 376 INOX and 377 REINFORCED.

Technical specifications

Material	Stainless steel
Wall construction	Cylindrical stub with rotatable flange; widened at one end for the metal hose
Cut to length	No
Manufacturer SKU	2051100

Standards and compliance

REACH, RoHS

Dimensions and ordering

The product is supplied in 12 standard sizes. Each size has its own article number.

Inner Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
50	70	0.25	20500501100
60	80	0.3	20500601100
70	80	0.36	20500701100
80	80	0.41	20500801100
100	100	0.5	20501001100
120	100	0.65	20501201100
125	100	0.68	20501251100
140	120	0.93	20501401100
180	120	1.17	20501801100
200	130	1.3	20502001100
250	130	2.17	20502501100
300	140	3.05	20503001100

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-205/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.