

ACCESSORIES

CONNECT 206

Stainless quick coupling for metal hoses with multiple clamping brackets



CONNECT 206 is a stainless steel quick coupling specifically qualified for metal hoses in the 375, 376 and 377 series. The construction has multiple clamping brackets that close quickly around the hose, and a one-sided expansion simplifies insertion without threads or special tools. 6 dimensions from ID 100 mm to 300 mm. Typically used in installations where large metal hoses must be flanged or connected to process facilities on ships, in chemical industry and in marine facilities.

Technical specifications

Material	Stainless steel (Stainless Steel INOX)
Colour	steel grey (natural colour)
Wall construction	Stainless steel quick coupling with multiple clamping brackets
Cut to length	No
Manufacturer SKU	2062015

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 6 standard sizes from inner Ø 100.0 mm to 300.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Article no.
100	20601002015
125	20601252015
150	20601502015
200	20602002015
250	20602502015
300	20603002015

The table shows the 6 standard dimensions. Each dimension has its own article number from the manufacturer.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-206/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.