

ACCESSORIES

CONNECT 223 krympemuffe

CONNECT 223 shrink sleeve - thermally shrinking sleeve for permanent hose-to-stutsen joint



CONNECT 223 is a shrink sleeve that via heating shrinks around the hose and stutsen to form a permanent joint. The material is a thermoplastic that contracts when heated, mechanically and thermally locking the hose. Used where a permanent vibration-resistant joint is critical - typically in industrial process or marine applications.

Technical specifications

Wall construction	Thermally shrinking sleeve
Cut to length	No
Manufacturer SKU	2230000

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 3 standard sizes from inner Ø 25.0 mm to 80.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
25	0.02	2230025000
50	0.04	2230050000
80	0.065	2230080000

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-223-schrumpmuffe/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.