

ACCESSORIES

CONNECT PRESS ASSEMBLY 232 for 356

Crimped coupling system in stainless steel 1.4404 for AIRDUC 356 with food-grade sealing insert



CONNECT PRESS ASSEMBLY 232 for 356 is a crimped coupling system for the heavy AIRDUC 356 series. The coupling is made of stainless steel 1.4404 with a polyurethane sealing insert that is approved for food contact. It can be used from -40 to $+90$ °C and is available for hoses with inner Ø 50, 65, 75 and 100 mm.

Temp: -40°C to $+90^{\circ}\text{C}$

Technical specifications

Material	Stainless steel 1.4404. Sealing insert: polyurethane
Wall construction	Crimped coupling system
Temperature range	-40°C – +90°C
Cut to length	No
Manufacturer SKU	2322973

Standards and compliance

FDA 21 CFR 177.2600 (silicone), fda-21-cfr-178-2010, EU 10/2011, ec-1935-2004, eu-2015-174, food-grade, press-fitted, REACH, RoHS

Dimensions and ordering

The product is supplied in 4 standard sizes. Each size has its own article number.

Inner Ø [mm]	Weight [kg/pc.]	Article no.
50	-	23200502973
65	0.54	23200652973
75	0.65	23200752973
100	0.67	23201002973

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-232-press-356/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.