

## ACCESSORIES

# CONNECT 240

Screw-on soft sleeve for the AIRDUC series - abrasion- and chemical-resistant



CONNECT 240 is a screw-on soft slide-on sleeve with broad factory compatibility with NBG's AIRDUC series - both PUR variants (350, 351, 355, 356) and PVC variants (341, 345). The sleeve combines abrasion resistance, chemical resistance and microbe resistance in a single construction, and it is ideal for industrial vacuum cleaners and municipal vehicles where the hose takes frequent wear and is replaced regularly. The temperature range -40 to +90 deg C with short-term peak to +125 deg C allows both cold outdoor operations and warm industrial applications. 5 dimensions from ID 38 mm to 70 mm.

**Temp:** -40.0 °C to 90.0 °C

## Technical specifications

<b>Wall construction</b>	Screw-on soft slide-on sleeve - abrasion-, chemical- and microbe-resistant
<b>Temperature range</b>	-40.0 °C – 90.0 °C
<b>Short-term peak</b>	125.0 °C
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	2400000

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 5 standard sizes from inner Ø 38.0 mm to 70.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Max len. [m]	Weight [kg/m]	Article no.
38	38	85	0.08	24000380000
40	40	85	0.08	24000400000
50	50	90	0.09	24000500000
60	60	90	0.12	24000600000
70	70	100	0.15	24000700000

The table shows the hose's internal diameter (ID), receiving nozzle diameter and sleeve total length. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/connect-240/](https://particulair.eu/flexcore/en/accessories/connect-240/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.