

ACCESSORIES

CONNECT 241 AS for 356

Antistatic spiral hose connector with thread for the 356 series



CONNECT 241 AS for 356 is a black spiral hose connector with thread that the manufacturer lists for hose 356. It is stated to be permanently antistatic with a resistance below $10^9 \Omega$ and is described as highly abrasion-resistant, resistant to microbes and hydrolysis and with good resistance to oil, petrol and chemicals. It can be used from -40 to $+90^\circ\text{C}$, briefly up to $+125^\circ\text{C}$, and is available for hoses with inner $\varnothing$ from 40 to 150 mm.

R: $<10^9 \Omega$

Temp: -40°C to $+90^\circ\text{C}$

Technical specifications

Colour	Black
Wall construction	Spiral hose connector with thread, screwed onto the hose
Temperature range	-40°C – +90°C
Short-term peak	+125°C
Electrical resistance	<10 ⁹ Ω
Cut to length	No
Manufacturer SKU	2418501

Standards and compliance

REACH, RoHS

Dimensions and ordering

The product is supplied in 8 standard sizes. Each size has its own article number.

Inner Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
40	85	0.09	24100408501
50	90	0.14	24100508501
60	90	0.16	24100608501
70	100	0.19	24100708501
75	107	0.23	24100758501
80	112	0.26	24100808501
100	122	0.42	24101008501
150	155	0.96	24101508501

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-241-as-356/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.