

ACCESSORIES

CONNECT 241 AS Moulded

Antistatic moulded soft sleeve $<10^9 \Omega$ - for industrial vacuum cleaners and municipal vehicles



CONNECT 241 AS Moulded is an antistatic moulded soft slide-on sleeve - a hybrid solution combining the benefits of anti-static (AS property $<10E9$ ohms) with the factory-mounted pre-fitted moulded construction. The sleeve is gas-and-liquid-tight pre-fitted from factory, with documented joint integrity, and simultaneously electrically dissipative so static discharge from the conveyed medium is conducted away. The high abrasion-, chemical-, microbe- and hydrolysis-resistance makes it ideal for industrial vacuum cleaners and municipal vehicles where the sleeve is exposed to abrasive dust AND where anti-static protection is required. 6 dimensions ID 38 to 75 mm. Temperature range -40 to +90 deg C with peak +125 deg C.

Temp: -40.0 °C to 90.0 °C

Technical specifications

Wall construction	Antistatic moulded sleeve - <10E9 ohms + gas-/liquid-tight pre-fitted
Temperature range	-40.0 °C – 90.0 °C
Short-term peak	125.0 °C
Cut to length	No
Manufacturer SKU	2418551

Standards and compliance

antistatic, moulded, pre-fitted, REACH, RoHS

Dimensions and ordering

The hose is supplied in 6 standard sizes from inner Ø 38.0 mm to 75.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Max len. [m]	Weight [kg/m]	Article no.
38	38	85	0.1	24100388551
40	40	85	0.09	24100408551
50	50	90	0.14	24100508551
60	60	90	0.16	24100608551
70	70	100	0.19	24100708551
75	75	107	0.23	24100758551

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-241-as-moulded/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.