

ACCESSORIES

CONNECT 241 AS

Antistatic spiral hose connector with thread for hoses 350, 351, 355, 533, 341 and 345



CONNECT 241 AS is a black spiral hose connector with thread that is screwed onto the hose. The manufacturer states that the wall is permanently antistatic with a resistance below $10^9 \Omega$ and describes it as highly abrasion-resistant and resistant to microbes and hydrolysis. It can be used from -40 to $+90^\circ\text{C}$, briefly up to $+125^\circ\text{C}$, and is available for hoses with inner $\varnothing$ from 32 to 300 mm.

R: $<10^9 \Omega$

Temp: -40°C to $+90^\circ\text{C}$

Technical specifications

Colour	Black
Wall construction	Spiral hose connector with thread, screwed onto the hose
Temperature range	-40°C – +90°C
Short-term peak	+125°C
Electrical resistance	<10 ⁹ Ω
Cut to length	No
Manufacturer SKU	2418500

Standards and compliance

REACH, RoHS

Dimensions and ordering

The product is supplied in 9 standard sizes. Each size has its own article number.

Inner Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
32	85	0.08	24100328500
75	107	0.23	24100758500
80	112	0.26	24100808500
100	122	0.42	24101008500
125	137	0.63	24101258500
150	155	0.96	24101508500
200	180	1.6	24102008500
250	195	2.35	24102508500
300	215	2.79	24103008500

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-241-as/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.