

ACCESSORIES

CONNECT 241 FOOD

Food-grade soft sleeve - 9 larger dimensions ID 32 to 300 mm for AIRDUC catalogue's process range



CONNECT 241 FOOD is a food-grade soft sleeve that covers larger dimensions than CONNECT 240 + 241 FOOD. Where the 240+241 version covers ID 38-70 mm, CONNECT 241 FOOD covers ID 32 mm to 300 mm in 9 dimensions - thus covering the AIRDUC catalogue's full process range, including the larger 100, 150, 200, 250 and 300 mm dimensions. The wall meets the same food-grade compliance: EU 10/2011, EC 1935/2004 and EU 2015/174. The temperature range -40 to +90 deg C with peak +125 deg C allows warm cleaning cycles. Typically used on larger process installations in food, pharma and brewery industry.

Temp: -40.0 °C to 90.0 °C

Technical specifications

Wall construction	Food-grade soft sleeve - wall complies with EU 10/2011, EC 1935/2004, EU 2015/174
Temperature range	-40.0 °C – 90.0 °C
Short-term peak	125.0 °C
Cut to length	No
Manufacturer SKU	2418600

Standards and compliance

food-grade, EU 10/2011, ec-1935-2004, eu-2015-174, REACH, RoHS

Dimensions and ordering

The hose is supplied in 9 standard sizes from inner Ø 32.0 mm to 300.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Max len. [m]	Weight [kg/m]	Article no.
32	32	85	0.08	24100328600
75	75	107	0.22	24100758600
80	80	112	0.25	24100808600
100	100	122	0.41	24101008600
125	125	137	0.62	24101258600
150	150	155	0.94	24101508600
200	200	180	1.56	24102008600
250	250	195	2.3	24102508600
300	300	215	2.73	24103008600

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-241-food/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.