

ACCESSORIES

CONNECT 242

Threaded adapter (DIN ISO 228) - abrasion- and chemical-resistant, black, 2 to 6 inch thread



CONNECT 242 is a threaded adapter made to connect AIRDUC hoses to standard pipe and process installations via DIN ISO 228 thread. The construction is highly abrasion-resistant and chemically resistant, supplied black, and covers thread sizes from 2 to 6 inches. 7 dimensions with hose ID from 50 mm to 150 mm match the thread range and cover the most used process connections. Typically used where pneumatic conveying lines must connect to process tanks, valves or pumps with standard inch threads.

Temp: -40.0 °C to 90.0 °C

Technical specifications

Colour	black
Wall construction	Threaded adapter with DIN ISO 228 standard thread
Temperature range	-40.0 °C – 90.0 °C
Cut to length	No
Manufacturer SKU	2428500

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 7 standard sizes from inner Ø 50.0 mm to 150.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Max len. [m]	Weight [kg/m]	Article no.
50	86	0.15	24200508500
55	87	0.18	24200558500
65	89	0.22	24200658500
75	97	0.28	24200758500
100	108	0.19	24201008500
125	122	0.81	24201258500
150	132	1.01	24201508500

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac ATEX and ACD vacuum cleaners for explosion hazard zones

particulair.eu/vace Nozzles and accessories for critical environments

particulair.eu/life-science Vacuums for pharma and cleanroom

particulair.eu/hardo Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-242/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.