

ACCESSORIES

CONNECT 243 FOOD

Food-grade flanged pipe with thread for the common pipe systems in the ventilation sector



CONNECT 243 FOOD is a flanged pipe that fits the common pipe systems in the ventilation sector and is screwed onto the hose. The manufacturer describes it as food-grade, highly abrasion-resistant and resistant to chemicals and microbes. It can be used from -40 to $+90$ °C and is available for hoses with inner Ø from 80 to 250 mm. The manufacturer lists pharmaceuticals, dosing systems and food production and conveying as applications.

Temp: -40°C to $+90^{\circ}\text{C}$

APPLICATIONS

- Pharmaceuticals
- Dosing systems
- Food production and conveying

Technical specifications

Wall construction	Flanged pipe with thread, screwed onto the hose
Temperature range	-40°C – +90°C
Cut to length	No
Manufacturer SKU	2438610

Standards and compliance

food-grade, EU 10/2011, ec-1935-2004, eu-2015-174, REACH, RoHS

Dimensions and ordering

The product is supplied in 6 standard sizes. Each size has its own article number.

Inner Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
80	136	0.38	24300808610
100	141	0.58	24301008610
120	148	0.87	24301208610
150	158	1.1	24301508610
200	170	1.81	24302008610
250	180	2.7	24302508610

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-243-food/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.