

ACCESSORIES

CONNECT 243

Flanged pipe for ventilation pipe systems - galvanised, abrasion- and chemical-resistant, black



CONNECT 243 is a flanged pipe (flange-equipped pipe section) developed for the most widely used pipe connection systems in the ventilation sector. The construction is galvanised sheet metal with black outer coating providing high abrasion resistance, chemical and microbe resistance. The pipe dimensions match the ventilation pipe connection range ID 80 to 250 mm in 6 standard dimensions. Typically used where an AIRDUC hose line must connect to a standard flange installation - e.g. in industrial ventilation, dust extraction or process air systems where the flange mounting surfaces must be consistent with the existing pipe system.

Technical specifications

Material	Body: zinc / galvanised sheet metal (black outer coating)
Colour	black
Wall construction	Flanged pipe (galvanised sheet metal) for ventilation pipe connection
Cut to length	No
Manufacturer SKU	2438500

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 6 standard sizes from inner Ø 80.0 mm to 250.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Max len. [m]	Weight [kg/m]	Article no.
80	80	136	0.48	24300808500
100	100	141	0.69	24301008500
120	120	148	1.04	24301208500
150	150	158	1.11	24301508500
200	200	170	2.36	24302008500
250	250	180	3.43	24302508500

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-243/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.