

ACCESSORIES

CONNECT 245 seal ISO 2852

Tri-Clamp replacement gasket in silicone to ISO 2852, 1 to 4 inches



CONNECT 245 seal ISO 2852 is a silicone replacement gasket for Tri-Clamp joints to ISO 2852. It can be used from -40 to $+90$ °C and is available in sizes 1, 1½, 2, 2½, 3 and 4 inches.

Temp: -40°C to $+90^{\circ}\text{C}$

Technical specifications

Material	Silicone
Wall construction	Tri-Clamp gasket
Temperature range	-40°C – +90°C
Cut to length	No
Manufacturer SKU	2458916

Standards and compliance

REACH, RoHS

Dimensions and ordering

The product is supplied in 6 standard sizes. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Article no.
25	50.5	24500258916
40	50.5	24500408916
50	64	24500508916
65	77.5	24500658916
75	91	24500758916
100	119	24501008916

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-245-pakning-iso-2852/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.