


ACCESSORIES

CONNECT 245 PU Moulded

Black moulded Tri-Clamp coupling for adapters to DIN 32676 for AIRDUC and TIMBERDUC hoses



CONNECT 245 PU Moulded is a black moulded Tri-Clamp coupling that fits adapters to DIN 32676. The manufacturer lists it for a range of AIRDUC hoses from 345 to 356 and for TIMBERDUC 533 AS. It can be used from -40 to +90 °C and is available for hoses with inner Ø from 38 to 200 mm.

Temp: -40°C to +90°C

Technical specifications

Colour	Black
Wall construction	Moulded Tri-Clamp coupling
Temperature range	-40°C – +90°C
Cut to length	No
Manufacturer SKU	2458554

Standards and compliance

din-32676, REACH, RoHS

Dimensions and ordering

The product is supplied in 6 standard sizes. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
38	50.5	65	0.07	24500388554
50	64	67	0.12	24500508554
65	91	67	0.18	24500658554
80	106	72	0.2	24500808554
125	155	91	0.49	24501258554
200	233.5	112.5	0.97	24502008554

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-245-pu-moulded/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.