


ACCESSORIES

CONNECT 245 VAC-TRUCK

Ø 250 mm couplings for vacuum trucks, in soft, pre-fitted and reinforced versions



CONNECT 245 VAC-TRUCK brings together four Ø 250 mm couplings for the large hoses on vacuum trucks. There is a soft version of approx. 85 Shore A, a pre-fitted version of approx. 85 Shore D and two reinforced versions with tapered flange, one of which is black and pre-fitted. All four have an outer Ø of 295 mm.

Technical specifications

Wall construction	Vacuum truck coupling, Ø 250 mm
Cut to length	No
Manufacturer SKU	2458701

Standards and compliance

REACH, RoHS

Dimensions and ordering

The product is supplied in 4 standard sizes. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
250	295	108	1.96	24502508505
250	295	119	1.61	24502508573
250	295	108	1.88	24502508701
250	295	108	1.88	24502508754

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-245-vac-truck/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.