


ACCESSORIES

CONNECT 245

Black Tri-Clamp coupling for adapters to DIN 32676, abrasion-resistant and quick to fit



CONNECT 245 is a black Tri-Clamp coupling that is screwed onto the hose and fits adapters to DIN 32676. The manufacturer describes it as highly abrasion-resistant, resistant to microbes and hydrolysis, with good resistance to oil, petrol and chemicals, quick to fit and reusable. It can be used from -40 to +90 °C and is available for hoses with inner Ø from 32 to 200 mm.

Temp: -40°C to +90°C

Technical specifications

Colour	Black
Wall construction	Tri-Clamp coupling, screwed onto the hose
Temperature range	-40°C – +90°C
Cut to length	No
Manufacturer SKU	2458500

Standards and compliance

din-32676, REACH, RoHS

Dimensions and ordering

The product is supplied in 9 standard sizes. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
32	50.5	60	0.06	24500328500
38	50.5	65	0.07	24500388500
50	64	67	0.12	24500508500
65	91	67	0.18	24500658500
80	106	72	0.2	24500808500
100	119	77	0.33	24501008500
125	155	91	0.49	24501258500
150	183	102	0.68	24501508500
200	233.5	112.5	0.97	24502008500

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-245/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.