

ACCESSORIES

CONNECT 246 FOOD for 356

Spiral hose connector in Pre-PUR® for food hoses in the 356 series, screwed onto the hose



CONNECT 246 FOOD for 356 is the version of the CONNECT 246 FOOD spiral hose connector for hoses in the 356 series. It is screwed directly onto the hose spiral. The manufacturer describes it as highly abrasion-resistant, resistant to chemicals and microbes and quick to fit, and as well suited to the food and pharmaceutical industry. The connector is made of premium polyether polyurethane (Pre-PUR®) and can be used from –40 to +90 °C, short-term up to +125 °C. Available for hoses with inner Ø 50, 60 and 100 mm.

Temp: -40°C to +90°C

Technical specifications

Material	Premium polyether polyurethane (Pre-PUR®)
Wall construction	Spiral hose connector for the 356 series, screwed onto the hose
Temperature range	-40°C – +90°C
Short-term peak	+125°C
Cut to length	No
Manufacturer SKU	2468601

Standards and compliance

food-grade, EU 10/2011, ec-1935-2004, eu-2015-174, REACH, RoHS

Dimensions and ordering

The product is supplied in 3 standard sizes. Each size has its own article number.

Inner Ø [mm]	Total length [mm]	Weight [kg/pc.]	Article no.
50	95	0.25	24600508601
60	105	0.3	24600608601
100	127	-	24601008601

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/connect-246-food-356/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.