CHEMICAL-RESISTANT

CP PTFE-INOX 470 INOX

PTFE-INOX clamp profile hose with stainless steel supporting spiral, up to +250°C



CP PTFE-INOX 470 INOX is a PTFE-INOX clamp profile hose with a stainless steel supporting spiral. The manufacturer states operation up to +250°C and short-term up to +270°C. The hose is highly flexible and compresses in a 4:1 ratio. It is supplied in six sizes from inner Ø 38 to 253 mm.

✓ Cut to length

APPLICATIONS

- High-temperature extraction up to +250°C
- Installations where the supporting spiral must be stainless steel

Technical specifications

Material	PTFE-INOX clamp profile hose with stainless steel (INOX) supporting spiral
Wall construction	Clamp profile hose, highly flexible and compressible 4:1
Spiral material	Stainless steel (INOX) supporting spiral
Short-term peak	+270°C
Cut to length	Yes
Manufacturer SKU	4700000

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 6 standard sizes from inner Ø 38 mm to 253 mm. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Bend rad. [mm]	Max len. [m]	Weight [kg/m]	Article no.
38	50	-	10	0.32	47000380000
150	162	38	14	0.56	47001500000
160	172	40	10	0.59	47001600000
180	192	-	10	0.66	47001800000
204	216	-	10	0.74	47002040000
253	265	-	10	0.92	47002530000

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair
Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/chemical-resistant-hoses/cp-ptfe-inox-470/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.