

ACCESSORIES

3-vejs kugleventil type 128

3-way ball valve type 128 - for process installations where flow must be selectable between 3 ports



3-way ball valve type 128 has 3 ports and a ball with L- or T-shaped bore allowing flow routing between three different lines. Typically used to select between two alternative flow paths (T-bore) or to close one of three lines (L-bore). Standard brass body with stainless ball.

Technical specifications

| | |
|--------------------------|---------------------------------------|
| Material | Brass body, stainless ball, PTFE seal |
| Wall construction | 3-way ball valve with L- or T-bore |
| Cut to length | No |
| Manufacturer SKU | 5280 |

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 2 standard sizes from inner Ø 13.0 mm to 25.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

| Inner Ø [mm] | Press. DIN [bar] | Weight [kg/m] | Article no. |
|-----------------|---------------------|------------------|-------------|
| 13 | 30 | 0.42 | 5280013000 |
| 25 | 30 | 0.88 | 5280025000 |

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

| | |
|---|---|
| particulair.eu/ex-vac | ATEX and ACD vacuum cleaners for explosion hazard zones |
| particulair.eu/vace | Nozzles and accessories for critical environments |
| particulair.eu/life-science | Vacuums for pharma and cleanroom |
| particulair.eu/hardo | Explosion-protected electrical Ex-equipment |

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/dreiwege-kugelhahn-128/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.