

## ACCESSORIES

## Reservepakning (rubber seal)

Replacement gasket in rubber - for general maintenance of coupling installations



Replacement gasket in rubber is a general-purpose seal for maintenance of coupling installations where a standard NBR/SBR seal is worn. Sold in multiple sizes covering the bulk of widely-used coupling systems.

## Technical specifications

<b>Material</b>	NBR or SBR rubber
<b>Wall construction</b>	General-purpose replacement gasket
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	5359

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 3 standard sizes from inner Ø 25.0 mm to 75.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
25	0.005	5359025000
50	0.012	5359050000
75	0.02	5359075000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/ersatzdichtning/](https://particulair.eu/flexcore/en/accessories/ersatzdichtning/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.