

ACCESSORIES

GEKA elbow / specialfitting (SKU 5354)

GEKA system variant SKU 5354 - elbow / specialfitting, brass/NBR



GEKA variant SKU 5354 - elbow / specialfitting. German coupling system from 1934, widely used in construction sites and fire brigade. Lug construction with quarter-turn locking. Variant differs from canonical GEKA (5316) in specific configuration or size.

Technical specifications

Material	Brass body, NBR seal
Colour	black
Wall construction	GEKA variant SKU 5354
Cut to length	No
Manufacturer SKU	5354

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 1 standard sizes from inner Ø None mm to None mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Press. DIN [bar]	Weight [kg/m]	Article no.
25	0.22	5354013040

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac ATEX and ACD vacuum cleaners for explosion hazard zones

particulair.eu/vace Nozzles and accessories for critical environments

particulair.eu/life-science Vacuums for pharma and cleanroom

particulair.eu/hardo Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/geka-5354/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.