

ACCESSORIES

GEKA plus drikkevands-blank cap

GEKA plus blank cap (DVGW VP 550) for potable water installations - brass red-brown, 40 bar



GEKA plus is the potable-water-approved version of the GEKA system, certified per DVGW VP 550 - the German standard for potable water fittings. Our blank cap is developed to temporarily close an open GEKA tap without risk of migration or hygiene concern. The material is brass per DIN 50930/6 (potable-water-approved brass alloy with low lead content) in red-brown finish. The seal is NBR. Working pressure up to 40 bar - substantially above standard GEKA. Used in potable water installations, water distribution and construction sites where the quality of drinking water must be assured.

Temp: -5.0 °C to 90.0 °C

Technical specifications

Material	Brass per DIN 50930/6. Seal: NBR. Colour: red-brown
Colour	red-brown
Wall construction	GEKA plus blank cap, potable-water-approved brass
Temperature range	-5.0 °C – 90.0 °C
Cut to length	No
Manufacturer SKU	5358

Standards and compliance

dvgw-vp-550, din-50930-6, potable-water, REACH, RoHS

Dimensions and ordering

The hose is supplied in 1 standard sizes from inner Ø 40.0 mm to 40.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Press. DIN [bar]	Weight [kg/m]	Article no.
40	40	0.09	5358000000

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/gekaplus/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.