

## ACCESSORIES

## Guillemin kobling-system

Guillemin coupling system (NBR seal) - French standard for water and fire brigade applications



Guillemin is a French coupling system developed for water distribution, fire brigade applications and industrial water transport. The construction is a lug-based coupling locking via quarter turn, closely related to Storz and GEKA but with French-specific geometry. Our supply chain is replacement seals in NBR, replacing worn seals in existing Guillemin couplings. The NBR seal is resistant to water, mineral oils and normal steam. Multiple sizes cover the Guillemin system's standard nominal dimensions. Typically used in French-developed installations, on international construction sites and in expeditions where Guillemin is the chosen standard.

## Technical specifications

<b>Material</b>	Seal: NBR. Colour: black
<b>Colour</b>	black
<b>Wall construction</b>	Guillemin replacement seal in NBR
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	5744

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 4 standard sizes from inner Ø 23.0 mm to 43.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
23	0.001	5744019000
27.2	0.002	5744025000
32	0.002	5744032000
43	0.004	5744038000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/guillemin/](https://particulair.eu/flexcore/en/accessories/guillemin/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.