

ACCESSORIES

Dairy coupling welding part MMS

Welding liner with union nut (female thread) to DIN 11851 for pipes, stainless steel



Welding part type MMS for dairy couplings to DIN 11851. The part consists of a welding liner and a swivelling union nut with female round thread (DIN 405-1). The liner is welded to the pipe, and the union nut is screwed onto a part with male thread, such as a VMS part. The welding part is made of stainless steel 1.4301 and is available for pipes with outer Ø 29 to 104 mm.

Technical specifications

Material	Stainless steel 1.4301
Wall construction	Welding liner with swivelling union nut with female round thread
Cut to length	No
Manufacturer SKU	5545

Standards and compliance

din-11851

Dimensions and ordering

The product is supplied in 7 standard sizes. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Thread	Weight [kg/pc.]	Article no.
26	29	Rd 52 x 1/6"	0.254	5545025000
32	35	Rd 58 x 1/6"	0.304	5545032000
38	41	Rd 65 x 1/6"	0.362	5545038000
50	53	Rd 78 x 1/6"	0.498	5545050000
66	70	Rd 95 x 1/6"	0.83	5545063000
81	85	Rd 110 x 1/4"	1.069	5545075000
100	104	Rd 130 x 1/4"	1.5	5545100000

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/mejerikobling-svejsedel-mms/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.