

ACCESSORIES

Dairy coupling VMS with hose tail

Dairy coupling to DIN 11851 with male thread and hose tail with safety collar, stainless steel with NBR gasket



Dairy coupling type VMS to DIN 11851 with male round thread (DIN 405-1). The hose tail is a combination tail with serrated shank and safety collar, so the hose can be secured with a swaging ferrule or a clamp. The coupling is made of stainless steel 1.4404 and comes with a blue NBR gasket. Available for hoses with inner Ø 25 to 102 mm and a working pressure of 40 bar up to 38 mm and 25 bar above. The counterpart is the MMS part with union nut.

Technical specifications

Material	Stainless steel 1.4404; NBR gasket
Colour	Gasket blue
Wall construction	Male round thread and combination hose tail with serrated shank and safety collar
Cut to length	No
Manufacturer SKU	5548

Standards and compliance

din-11851

Dimensions and ordering

The product is supplied in 7 standard sizes. Each size has its own article number.

Inner Ø [mm]	Thread	Press. DIN [bar]	Weight [kg/pc.]	Article no.
25	Rd 52 x 1/6"	40	0.179	5548025000
32	Rd 58 x 1/6"	40	0.229	5548032000
38	Rd 65 x 1/6"	40	0.312	5548038000
51	Rd 78 x 1/6"	25	0.442	5548050000
63	Rd 95 x 1/6"	25	0.733	5548063000
76	Rd 110 x 1/4"	25	1.004	5548075000
102	Rd 130 x 1/4"	25	1.858	5548100000

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/mejerikobling-vms/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.