

ACCESSORIES

NORDUC A 183

Conduit fitting with rigid connection thread for cable protection hoses, black or grey



Conduit fitting with rigid connection thread and hexagon for cable protection hoses. Chemical-resistant and vibration-proof, quick and easy to fit. Available with metric thread (M12 to M63) or PG thread (PG 7 to PG 48), in black or grey. Service from -40°C to $+120^{\circ}\text{C}$, short-term $+130^{\circ}\text{C}$.

Temp: -40°C to $+120^{\circ}\text{C}$

Technical specifications

Colour	Black or grey
Wall construction	Rigid connection thread with hexagon
Temperature range	-40°C – +120°C
Short-term peak	+130°C
Cut to length	No
Manufacturer SKU	1839005

Standards and compliance

ip65, RoHS

Dimensions and ordering

The product is supplied in 50 standard sizes. Each size has its own article number.

Colour	Nom. width [mm]	Inner Ø [mm]	Outer Ø [mm]	Thread	Total length [mm]	Wrench size [mm]	Weight [kg/pc.]	Pack [pcs]	Article no.
Black	8.5	7.5	23	M12 x 1,5	35	16	0.0041	50	18380129050
Black	10	11	24.5	M16 x 1,5	36	17	0.00469	50	18380169050
Black	13	15.2	29	M20 x 1,5	38	20	0.00636	50	18380209050
Black	17	19.1	38.5	M25 x 1,5	43	27	0.01287	50	18380259050
Black	29	25.5	55.5	M32 x 1,5	52	41	0.02852	20	18380329020
Black	37	34	66.5	M40 x 1,5	62	50	0.04581	10	18380409010
Black	50	43.5	80	M50 x 1,5	68	64	0.07697	5	18380509005
Black	50	53.2	80	M63 x 1,5	68	64	0.0779	5	18380639005
Black	10	7.5	24.5	M12 x 1,5	36	17	0.00439	50	18381129050
Black	13	11	29	M16 x 1,5	38	20	0.00628	50	18381169050
Black	17	15.4	38.5	M20 x 1,5	43	27	0.01205	50	18381209050
Black	23	19.1	48.5	M25 x 1,5	48	34	0.01969	25	18381259025
Black	8.5	7.5	23	PG 7	35	16	0.00433	50	18390079050
Black	10	11	24.5	PG 9	36	17	0.00455	50	18390099050
Black	10	12.5	24.5	PG 11	36	17	0.00466	50	18390119050
Black	13	15.2	29	PG 13,5	38	20	0.00665	50	18390139050
Black	17	18.1	38.5	PG 16	43	27	0.01219	50	18390169050
Black	23	23	48.5	PG 21	48	34	0.01955	25	18390219025
Black	29	31	55.5	PG 29	52	41	0.02839	20	18390299020
Black	37	39	66.5	PG 36	62	50	0.04798	10	18390369010
Black	50	43.5	80	PG 48	68	64	0.07617	5	18390489005
Black	10	9	24.5	PG 7	36	17	0.00431	50	18391079050
Black	13	11	29	PG 9	38	20	0.006	50	18391099050
Black	13	14.5	29	PG 11	38	20	0.0062	50	18391119050
Black	17	15.4	38.5	PG 13,5	43	27	0.01237	50	18391139050
Grey	8.5	7.5	23	M12 x 1,5	35	16	0.0041	50	18380129150
Grey	10	11	24.5	M16 x 1,5	36	17	0.00469	50	18380169150
Grey	13	15.2	29	M20 x 1,5	38	20	0.00636	50	18380209150
Grey	17	19.1	38.5	M25 x 1,5	43	27	0.01287	50	18380259150
Grey	29	25.5	55.5	M32 x 1,5	52	41	0.02852	20	18380329120
Grey	37	34	66.5	M40 x 1,5	62	50	0.04581	10	18380409110
Grey	50	43.5	80	M50 x 1,5	68	64	0.07697	-	18380509105
Grey	50	53.2	80	M63 x 1,5	68	64	0.0779	-	18380639105

Colour	Nom. width [mm]	Inner Ø [mm]	Outer Ø [mm]	Thread	Total length [mm]	Wrench size [mm]	Weight [kg/pc.]	Pack [pcs]	Article no.
Grey	10	7.5	24.5	M12 x 1,5	36	17	0.00439	50	18381129150
Grey	13	11	29	M16 x 1,5	38	20	0.00628	50	18381169150
Grey	17	15.4	38.5	M20 x 1,5	43	27	0.01205	50	18381209150
Grey	23	19.1	48.5	M25 x 1,5	48	34	0.01969	25	18381259125
Grey	8.5	7.5	23	PG 7	35	16	0.00433	50	18390079150
Grey	10	11	24.5	PG 9	36	17	0.00455	50	18390099150
Grey	10	12.5	24.5	PG 11	36	17	0.00466	50	18390119150
Grey	13	15.2	29	PG 13,5	38	20	0.00665	50	18390139150
Grey	17	18.1	38.5	PG 16	43	27	0.01219	50	18390169150
Grey	23	23	48.5	PG 21	48	34	0.01955	25	18390219125
Grey	29	31	55.5	PG 29	52	41	0.02839	20	18390299120
Grey	37	39	66.5	PG 36	62	50	0.04798	10	18390369110
Grey	50	43.5	80	PG 48	68	64	0.07617	-	18390489105
Grey	10	9	24.5	PG 7	36	17	0.00431	50	18391079150
Grey	13	11	29	PG 9	38	20	0.006	50	18391099150
Grey	13	14.5	29	PG 11	38	20	0.0062	50	18391119150
Grey	17	15.4	38.5	PG 13,5	43	27	0.01237	50	18391139150

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/norduc-a-183/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.