

ACCESSORIES

Perrot variant (SKU 5722)

Perrot coupling variant SKU 5722 - German standard for agriculture and slurry transport



Perrot variant SKU 5722. German high-pressure coupling system widely used in agriculture. Hot dip galvanised steel construction. Difference from canonical 5733 is likely size or configuration (male/female/CK type).

Technical specifications

Material	Hot dip galvanised steel, SBR seal
Wall construction	Perrot variant SKU 5722
Cut to length	No
Manufacturer SKU	5722

Standards and compliance

REACH, RoHS

Dimensions and ordering

The hose is supplied in 1 standard sizes from inner Ø None mm to None mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Press. DIN [bar]	Weight [kg/m]	Article no.
10	2.5	5722050050

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/accessories/perrot-5722/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.