

## ACCESSORIES

# Trykluft-kobling DN 5,5 variant (SKU 5231)

Trykluft-kobling DN 5,5 variant SKU 5231 - variant of existing family



Specific SKU variant of Trykluft-kobling DN 5,5 variant. Difference from canonical product page typically lies in size, material finish or specific configuration. Cross-check factsheet for precise spec or contact us for advice.

## Technical specifications

<b>Wall construction</b>	Trykluft-kobling DN 5,5 variant variant SKU 5231
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	5231

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 1 standard sizes from inner Ø None mm to None mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Weight [kg/m]	Article no.
0.15	5231000000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/pressluft-kupplung-dn-55-5231/](https://particulair.eu/flexcore/en/accessories/pressluft-kupplung-dn-55-5231/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.