MEMBRANE TUBE DIFFUSERS

PRO■AIR CONNECT 685

Adapter for drill holes of Ø 45 mm when mounting membrane tube diffusers



CONNECT 685 is an adapter for drill holes with a diameter of 45 mm. It has an inner diameter of 39 mm and an outer diameter of 44 mm.

APPLICATIONS

- Aeration of wastewater in sewage treatment plants
- Fixed-bed and bioreactors

Technical specifications

Material	Not stated by the manufacturer
Wall construction	Adapter
Cut to length	No
Manufacturer SKU	6852762

Standards and compliance

RoHS

Dimensions and ordering

The hose is supplied in 1 standard sizes from inner Ø 39 mm to 39 mm. Each size has its own article number.

Inner Ø [mm]	Outer Ø [mm]	Weight [kg/m]	Article no.
39	44	0.003	68500452762

The table shows the product's standard dimensions. Weight column is per piece.

Other Particulair microsites

We build specialised microsites for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair
Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/membrane-tube-diffusers/pro2air-connect-685/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.