


CHEMICAL-RESISTANT

SOLVOFORM

Robust compressor hose — for compressed air, lubricating oil and greases in workshops



Robust compressor hose, ideally suited as a workshop hose for transporting compressed air, lubricating oil and greases. Smooth interior and smooth outer cover make it easy to handle and clean. Designed for daily industrial use in workshops, construction sites and production facilities where oil and air transport are combined.

Media: Gas, Liquid

Temp: -20 °C to 60 °C

✓ Cut to length

APPLICATIONS

- Workshop hose for compressed air
- Lubricating oil and grease distribution
- Marine hoses for oil handling
- Mineral oil transport
- CNC machine connections

Technical specifications

Material	Specialty rubber (NBR-based)
Colour	Black
Wall construction	Smooth interior, smooth outer cover
Conveying media	Gas, Liquid
Temperature range	-20 °C – 60 °C
Short-term peak	60 °C
Cut to length	Yes
Manufacturer SKU	3210

Standards and compliance

en-iso-1307, REACH, RoHS

Dimensions and ordering

The hose is supplied in 5 standard sizes from inner Ø 6.0 mm to 19.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Outer Ø [mm]	Wall th. [mm]	Press. DIN [bar]	Burst [bar]	Bend rad. [mm]	Max len. [m]	Weight [kg/m]	Roll [m]	Article no.
6	14	4	20	60	50	50	0.17	50	3210006000
8	15	3.5	20	60	65	50	0.175	50	3210008000
10	17	3.5	20	60	75	50	0.2	50	3210010000
13	22	4.5	20	60	105	50	0.335	50	3210013000
19	28	4.5	20	60	150	50	0.45	50	3210019000

Fields without a value (—) are not specified in the manufacturer's factsheet. Overpressure and underpressure values are recommended operating limits; the product can be subjected to higher loads on request. Bend radius is measured along the inside of the hose bend.

Other Particulair microsities

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

particulair.eu/ex-vac	ATEX and ACD vacuum cleaners for explosion hazard zones
particulair.eu/vace	Nozzles and accessories for critical environments
particulair.eu/life-science	Vacuums for pharma and cleanroom
particulair.eu/hardo	Explosion-protected electrical Ex-equipment

Contact and advisory

Particulair

Højtoften 12
2690 Karlslunde, Denmark
CVR: 34129894

Phone: (+45) 70 23 12 03
E-mail: sales@particulair.com
Web: particulair.eu

Product page: particulair.eu/flexcore/en/chemical/solvoform/

SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.