

## ACCESSORIES

## ST male MKST zinc-plated

ST male MKST zinc-plated 100 - male configuration of MKST one-piece coupling, zinc-plated steel



Male configuration of MKST one-piece TW coupling with zinc plating. Used in tank truck installations where male side is required (whereas MKST 5579 is female). Zinc plating provides good corrosion resistance for standard transport applications.

## Technical specifications

<b>Material</b>	Zinc-plated steel
<b>Wall construction</b>	ST male MKST zinc-plated
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	8552000013

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 2 standard sizes from inner Ø 50.0 mm to 80.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
50	0.52	85520000130
80	1.15	85520000131

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/st-male-mkst-zinc/](https://particulair.eu/flexcore/en/accessories/st-male-mkst-zinc/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.