

## ACCESSORIES

## TW kappe type MB

TW cap type MB in stainless steel for VK couplings - with chain hole



TW cap type MB is developed to close an open TW VK coupling with a chain hole allowing attachment of safety chain. Material is stainless steel. Used as standard TW system accessory.

## Technical specifications

<b>Material</b>	Stainless steel
<b>Wall construction</b>	TW cap MB with chain hole
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	5576

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 3 standard sizes from inner Ø 50.0 mm to 100.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
50	0.258	5568050000
80	0.618	5568075000
100	1.101	5568100000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

[particulair.eu/ex-vac](https://particulair.eu/ex-vac) ATEX and ACD vacuum cleaners for explosion hazard zones

---

[particulair.eu/vace](https://particulair.eu/vace) Nozzles and accessories for critical environments

---

[particulair.eu/life-science](https://particulair.eu/life-science) Vacuums for pharma and cleanroom

---

[particulair.eu/hardo](https://particulair.eu/hardo) Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/tw-kappe-mb/](https://particulair.eu/flexcore/en/accessories/tw-kappe-mb/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.