

## ACCESSORIES

## TW spaendingsring type MKH

TW clamping ring type MKH - clamping ring for TW MK system with specific geometry



MKH is a clamping ring in the TW system, alternative to crown ring MKV (5581). The difference lies in geometric configuration and specific application in MK installations. Cross-check your existing TW installation for correct choice.

## Technical specifications

<b>Material</b>	Stainless steel
<b>Wall construction</b>	TW clamping ring MKH for MK system
<b>Cut to length</b>	No
<b>Manufacturer SKU</b>	5577

### Standards and compliance

REACH, RoHS

## Dimensions and ordering

The hose is supplied in 2 standard sizes from inner Ø 50.0 mm to 80.0 mm. Each size has its own article number. Standard roll length is typically 10 m, and the hose can be cut to length.

Inner Ø [mm]	Weight [kg/m]	Article no.
50	0.25	5577050000
80	0.52	5577075000

The table shows the product's standard dimensions. Weight column is per piece.

## Other Particulair microsities

---

We build specialised microsities for critical industries. Each site provides in-depth product data, documentation and expert guidance for the domain it covers.

<a href="https://particulair.eu/ex-vac">particulair.eu/ex-vac</a>	ATEX and ACD vacuum cleaners for explosion hazard zones
<a href="https://particulair.eu/vace">particulair.eu/vace</a>	Nozzles and accessories for critical environments
<a href="https://particulair.eu/life-science">particulair.eu/life-science</a>	Vacuums for pharma and cleanroom
<a href="https://particulair.eu/hardo">particulair.eu/hardo</a>	Explosion-protected electrical Ex-equipment

## Contact and advisory

---

### Particulair

Højtoften 12  
2690 Karlslunde, Denmark  
CVR: 34129894

Phone: (+45) 70 23 12 03  
E-mail: [sales@particulair.com](mailto:sales@particulair.com)  
Web: [particulair.eu](https://particulair.eu)

**Product page:** [particulair.eu/flexcore/en/accessories/tw-spanning-mkh/](https://particulair.eu/flexcore/en/accessories/tw-spanning-mkh/)

---

### SMARTER THINKING • BETTER WORKING

This datasheet is generated automatically from Particulair product data. All specifications are taken from the manufacturer's factsheet and are subject to change without notice. Prices and availability provided on request.